

## ASTRA LA 3801

Leveling agent

### Description

ASTRA LA 3801 is a polysiloxane modified with acrylic double bonds that can be cross-linked in UV curable systems in order to improve anti-blocking and anti-graffiti properties and provide excellent slip. ASTRA LA 3801 is not recommended for systems where compatibility is required.

### Physical and Chemical properties

**Ingredient:** Acrylate modified polysiloxane

**Appearance:** Yellow cloudy liquid

**Active part:** 100%

### Speciality

Leveling	Wetting	Recoatibility	Compatibility	Sliding	Low Foam Stabilization	Anti-craters	Anti-blocking
••	••	••	•	•••••	•••••	••••	•••••

••••• Good    • Bad

### Application System and Dosage

ASTRA LA 3801 is suitable for UV curable systems.

The recommended dosage is around 0.1-1% upon total formulation. The additive could be introduced at any stage during the production.

### Package

25kg pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

