

+86 0571 555 3535
Qian Tan Cheng Dong,
Jiande, Hangzhou,
Zhejiang Province
astra-chemical.com

info@astra-chemical.com

ASTRA REO 5010

Rheology Modifier

Description

ASTRA REO 5010 is a synthetic polyamide wax dispersed in water. As it is predispersed in water, it could be easily introduced into the system in order to provide good rheological properties. It is widely used as anti-settling agent for primers and as anti-sagging agent for varnishes.

Physical and Chemical properties

Ingredient: Polyamide wax
Appearance: Yellow paste

Active part: 20% Solvent: Water

Specialty

- 1. ASTRA REO 5010 is suitable for both filled and clear water-borne systems.
- 2. ASTRA REO 5010 is easy-to-introduce additive.

Application System and Dosage

ASTRA REO 5010 is suitable for all kinds of water-borne coating systems and printing inks.

The recommended dosage of the additive depends on the type of the system and usually is 0.5 - 2.0% to prevent settling and 2.0 - 5.0% to prevent sagging.

Package

25kg pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

