

## ASTRA REO 7010

---

Rheology Modifier

### Description

ASTRA REO 7010 is a rheology modifier based on a water-borne polymer with hydrophobic group with great anti-settling and anti-sagging properties. It creates highly thixotropic flow behavior. The additive is suitable for all types of water-borne systems as anti-sagging and anti-setting agent.

### Physical and Chemical properties

**Ingredient:** Water-borne polymer with hydrophobic groups

**Appearance:** Light yellow liquid

**Active part:** 18%

**Solvent:** Water / 2-Butoxyethanol

### Specialty

1. ASTRA REO 7010 is suitable for water-borne varnish systems. It can rapidly increase the viscosity and prevent sedimentation and increase anti-sagging properties.
2. ASTRA REO 7010 can be used in a wide range of pH.

### Application System and Dosage

ASTRA REO 7010 is suitable for all water-borne industry coating systems.

The recommended dosage of the additive is 0.5% to 2.0% (as anti-settling agent) upon total formulation and 2.0% to 5.0% (as anti-sagging agent) upon total formulation. ASTRA REO 7010 should be introduced at the terminal stage of the manufacture.

### Package

25kg plastic pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

